

IN THE CLAIMS

For the convenience of the Examiner, all pending claims of the present Application are shown below whether or not an amendment has been made.

Please amend the claims as follows.

1. **(Currently amended)** A method for performing speaker verification based on speaker independent recognition of commands, the method comprising:

receiving, from a client, an utterance spoken by ~~from~~ a speaker;

identifying a user associated with the client;

identifying a command associated with the utterance by performing speaker independent recognition (SIR);

determining whether a speaker verification template associated with the identified command includes adequate verification data to verify utterances of the identified command by the identified user;

eliminating a prompt for a password if the speaker ~~a speaker~~ verification template associated with the identified command includes adequate verification data; and

verifying a speaker ~~the speaker~~ identity by comparing the utterance with the speaker verification template associated with the identified command.

2. **(Original)** The method of Claim 1, further comprising recording speaker dependent voice patterns associated with the utterance to create the speaker verification template.

3. **(Original)** The method of Claim 1, further comprising:
recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
executing the identified command if the utterance matches the speaker verification template.

4. **(Original)** The method of Claim 1, further comprising:
prompting the speaker to enter a password if the utterance does not match the speaker verification template; and
verifying the speaker identity based on the password.

5. **(Original)** The method of Claim 1, further comprising:
prompting the speaker to enter a password if the utterance does not match the speaker verification template;
verifying the speaker identity based on the password;
recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
executing the identified command.

6. **(Original)** The method of Claim 1, further comprising:
prompting the speaker for a password if the speaker verification template associated with the identified command does not comprise adequate verification data; and
verifying the speaker identity based on the password.

7. **(Original)** The method of Claim 1, further comprising:

- prompting the speaker for a password if the speaker verification template associated with the identified command does not comprise adequate verification data;
- verifying the speaker identity based on the password;
- recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
- repeating the prompting, verifying and recording steps until the speaker verification template associated with the identified command comprises adequate verification data.

8. **(Currently amended)** A speaker verification unit, comprising:
a network interface operable to couple to a communication network;
a database coupled to the network interface, the database comprising a plurality of speaker verification templates associated with a plurality of commands; and
a processing module coupled to the network interface, the processing module operable to:

receive, from a client, an utterance spoken by a command from a speaker;

identify a user associated with the client;

identify a command the command associated with the utterance by performing speaker independent recognition (SIR);

determine whether a speaker verification template associated with the identified command includes adequate verification data to verify utterances of the identified command by the identified user;

eliminate a prompt for a password if the speaker a speaker verification template associated with the identified command includes adequate verification data; and

verify a speaker identity by comparing the utterance identified command with the speaker verification template associated with the identified command.

9. **(Currently amended)** The speaker verification unit of Claim 8, wherein the processing module is further operable to:

record speaker dependant voice patterns associated with the utterance identified command; and

store the speaker dependent voice patterns in the database to create the speaker verification template associated with the identified command.

10. **(Original)** The speaker verification unit of Claim 8, further comprising a service interface operable to couple to a server comprising a plurality of services associated with the commands.

11. **(Currently amended)** The speaker verification unit of Claim 10, wherein the processing module is further operable to:

record speaker dependent voice patterns associated with the utterance identified command;

store the speaker dependent voice patterns in the database to create the speaker verification template associated with the identified command; and

access a service associated with the identified command from the server.

12. **(Currently amended)** The speaker verification unit of Claim 8, wherein: the database further comprises a password associated with the user speaker; and the processing module is further operable to:

prompt the speaker to enter the password if the utterance identified command does not match the speaker verification template;

compare the entered password with the password stored in the database; and

verify the speaker identity if the entered password matches the password stored in the database.

13. **(Currently amended)** The speaker verification unit of Claim 8, wherein: the database further comprises a password associated with the user speaker; and the processing module is further operable to:

prompt the speaker to enter the password if the utterance identified command does not match the speaker verification template;

compare the entered password with the password stored in the database;

verify the speaker identity if the entered password matches the password stored in the database;

record speaker dependent voice patterns associated with the utterance identified command; and

store the speaker dependent voice patterns in the database to create the speaker verification template associated with the identified command.

14. **(Currently amended)** The speaker verification unit of Claim 8, wherein: the database further comprises a password associated with the user speaker; and the processing module is further operable to:

prompt the speaker to enter the password if the speaker verification template does not comprise adequate verification data ;

compare the entered password with the password stored in the database; and

verify the speaker identity if the entered password matches the password stored in the database.

15. **(Currently amended)** The speaker verification unit of Claim 8, wherein:
the database further comprises a password associated with the user speaker; and
the processing module is further operable to:

prompt the speaker to enter the password if the speaker verification template
does not comprise adequate verification data;

compare the entered password with the password stored in the database;

verify the speaker identity if the entered password matches the password
stored in the database;

record speaker dependant voice patterns associated with the utterance
~~identified command~~; and

store the speaker dependent voice patterns in the database to create the speaker
verification template associated with the identified command.

16. **(Original)** The speaker verification unit of Claim 8, wherein the command is
selected from the group consisting essentially of call, store, access, forward, or redial.

17. **(Currently amended)** Logic encoded in media for performing speaker verification based on speaker independent recognition of commands and operable to perform the following steps:

receiving, from a client, an utterance spoken by ~~from~~ a speaker;

identifying a user associated with the client;

identifying a command associated with the utterance by performing speaker independent recognition (SIR);

determining whether a speaker verification template associated with the identified command includes adequate verification data to verify utterances of the identified command by the identified user;

eliminating a prompt for a password if the speaker ~~a speaker~~ verification template associated with the identified command includes adequate verification data; and

verifying a speaker ~~the speaker~~ identity by comparing the utterance with the speaker verification template associated with the identified command.

18. **(Original)** The logic encoded in media of Claim 17, further comprising:
recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
executing the identified command if the utterance matches the speaker verification template.

19. **(Original)** The logic encoded in media of Claim 17, further comprising:
prompting the speaker to enter a password if the utterance does not match the speaker verification template;
verifying the speaker identity based on the password;
recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
executing the identified command.

20. **(Original)** The logic encoded in media of Claim 17, further comprising:
prompting the speaker for a password if the speaker verification template associated with the identified command does not comprise adequate verification data;
verifying the speaker identity based on the password;
recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and
repeating the prompting, verifying and recording steps until the speaker verification template associated with the identified command comprises adequate verification data.

21. **(Currently amended)** An apparatus for performing speaker verification based on speaker independent recognition of commands:

means for receiving, from a client, an utterance spoken by ~~from~~ a speaker;

means for identifying a user associated with the client;

means for identifying a command associated with the utterance by performing speaker independent recognition (SIR);

means for determining whether a speaker verification template associated with the identified command includes adequate verification data to verify utterances of the identified command by the identified user;

means for eliminating a prompt for a password if the speaker ~~a speaker~~-verification template associated with the identified command includes adequate verification data; and

means for verifying a speaker ~~the speaker~~ identity by comparing the utterance with the speaker verification template associated with the identified command.

22. **(Original)** The apparatus of Claim 21, further comprising:

means for recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and

means for executing the identified command if the utterance matches the speaker verification template.

23. **(Original)** The apparatus of Claim 21, further comprising:

means for prompting the speaker for a password if the speaker verification template associated with the identified command does not comprise adequate verification data;

means for verifying the speaker identity based on the password;

means for recording speaker dependent voice patterns associated with the utterance to create the speaker verification template; and

means for repeating the prompting, verifying and recording steps until the speaker verification template associated with the identified command comprises adequate verification data.